






	Model type						
	S	XS	XS (CPW)	M	L	XL	XL (CPW)
H (mm)	1385	1385	1385	2045	2045	2045	2045
B (mm)	594	1194	1194	594	894	1194	1194
T (mm)	612	612	612	612	612	612	612
T1 (mm)	1100	1100	1100	1100	990	1140	1140
Doors	1	2	2	1	2	2	2
Tare weight (kg)	230	380	400	320	420	530	550
Inside cabinet volume (m³)	0,28	0,61	0,61	0,43	0,69	0,95	0,95
PSU type	I	I	II	I	I	I	II

AA: Load adapter
 For details see separate operating instructions and dimension sheet.
 CPW: Centre partition wall
 PSU: Power Supply Unit, Type I approx. 450 x 315 x 155 (WxDxH)
 Type II approx. 600 x 315 x 155 (WxDxH)
 RD: Pipe penetration

PSU type I




PSU type II




Outer dimensions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: BATTERY station Type 90, safety cabinet with wing door(s)		
	drawing no.: 000104984	page: 1 of 5	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 04	date: 2020-03-18	




	Model type						
	S	XS	XS (CPW)	M	L	XL	XL (CPW)
BS (mm)	375	975	2x 465	375	675	975	2x 465
TS (mm)	457	457	457	457	457	457	457
M (kg)	75	75	75	75	75	75	75
Max. load capacity (kg)	240	240	240	360	360	360	360
V (l)	11	33	33	11	22	33	33
K (Ah)	54	54	54	54	54	54	54
Number of storage levels	3	3	3	4	4	4	4
Number of storage areas	3	3	6	4	4	4	8

BS: Width storage area
TS: Depth storage area
M: Load bearing capacity per storage level (uniformly distributed)
V: Max. collection volume
CPW: Centre partition wall
BAT: Battery - may consist of several lithium-ion cells (K)
K: Max. capacity of the largest single lithium-ion cell



Max. setting height (mm)			
		Model type	
		S, XS, XS (CPW)	M, L, XL, XL (CPW)
Storage levels	H1	297	378
	H2	297	378
	H3	---	378
	H4	299	381

Inner dimensions

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: BATTERY station Type 90, safety cabinet with wing door(s)		
	drawing no.: 000104984	page: 2 of 5	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein	revision: 04	date: 2020-03-18	
			

PSU data		
	230V	400V
Supply voltage	230V ~ 50/60Hz	400V ~ 50/60Hz
Total fuse protection	16A	16A
Plug type*	16A CEE L+N+PE 6h	16A CEE 3L+N+PE 6h
Power supply cable lenght	approx. 3m	approx. 3m

Plug PSU 230V
(Standard)




Plug PSU 400V



Sockets data	
Output voltage	230V ~ 50/60Hz
Fuse protection per storage area	10A
Number of sockets per storage area	4
Sockets for plug type*	Type C (CEE 7/16) Type C (CEE 7/17) Type F (CEE 7/4) Type E+F (CEE 7/7)

Sockets (Standard)




* Alternative plugs and sockets available on request

Alternative plug PSU 230V	Alternative sockets for plug type	Country
Type G (BS 1363)	Type G (BS 1363)	GB
	Type I (AS/NZS 3112)	AU
	Type J (SN 441011)	CH

Connection and supply data

This drawing is our property! Furnish this information to other persons and reproduce or copy is not permitted without our written permission.	title: BATTERY station Type 90, safety cabinet with wing door(s)		
	drawing no.: 000104984	page: 3 of 5	
	revision: 04	date: 2020-03-18	
Düperthal Sicherheitstechnik Frankenstrasse 3 D-63791 Karlstein			



NW: 110, with adapter 75
 AB: Exhaust air connection
 TH: Thermocouple

Ventilation connetion

This drawing is our property!
 Furnish this information to other
 persons and reproduce or copy is
 not permitted without our
 written permission.

Düperthal Sicherheitstechnik
 Frankenstrasse 3
 D-63791 Karlstein


title: BATTERY station
 Type 90, safety cabinet with wing door(s)

drawing no.: 000104984


page: 4 of 5

revision: 04

date: 2020-03-18



 **DÜPERTHAL**



● Loaded footprint

Geometry of the adjustable feet

This drawing is our property!
Furnish this information to other
persons and reproduce or copy is
not permitted without our
written permission.

Düperthal Sicherheitstechnik
Frankenstrasse 3
D-63791 Karlstein


title: BATTERY station
Type 90, safety cabinet with wing door(s)

drawing no.: 000104984

page: 5 of 5

revision: 04

date: 2020-03-18



 **DÜPERTHAL**